

## Bibliografia

- L'Allemand, D., U. Eiholzer, M. Schlumpf, H. Steiner, W. Riesen. 2000. 'Cardiovascular risk factors improve under 3 years of GHT in Prader-Willi syndrome.' *Eur J Pediatr* 159: 835-842.
- Aughton, D. & S. B. Cassidy. 1990. Physical features of Prader-Willi syndrome in neonates.' *Am J Dis Child* 144: 1251-1254.
- Beccaria, L., F. Benzi, A. Sanzari, L. Bossio, P. Brambilla, G. Ghiumello. 1996. 'Impairment of GH responsiveness to GH releasing hormone and pyridostigmine in patients affected with Prader-Willi syndrome.' *J Endocrinol Invest* 19: 687-692.
- Bideci, A., P. Cinaz, A. Hasanoglu, S. Elbeg. 1997. 'Serum levels of insulin-like growth factor-I and insulin-like growth factor binding protein-3 in obese children.' *J Pediatr Endocrinol Metab* 10: 295-299.
- Brambilla, P., L. Bosio, P. Manzoni, A. Pietrobelli, L. Beccaria, G. Chiumello. 1997. 'Peculiar body composition in patients with Prader – Labhart – Willi syndrome.' *Am J Clin Nutr* 65: 1369-1374.
- Bray, G., W. Dahms, R. Swerdloss, R. Fisser, R. Atkinson, X. Carrel. 1983. 'The Prader-Willi syndrome. A study of 40 patients and a review of the literature.' *Medicine* 62: 59-80.
- Burman, P., M. Ritzen, A. C. Lindgren. 2001. 'Endocrine dysfunction in Prader-Willi syndrome: a review with special reference to GH.' *Endocr Rev* 22: 787-799.
- Butler, M. 'Prader - Willi syndrome: current understanding of cause and diagnosis.' *Am J Med Genet* 35: 319-332
- Carrel A. L., S. E. Myers, B. Y. Whitman, D. B. Allen. 1999. 'Growth hormone improves body composition, fat utilization, physical strength and agility, and growth in Prader-Willi syndrome: A controlled study'. *J Pediatr* 134: 215-21.
- Carrel A. L., D. B. Allen. 2001. 'Prader-Willi syndrome: how does growth hormone affect body composition and physical function?' *J Pediatr Endocrinol Metab* 14 Suppl 6: 1445-51.
- Carrel, A. L., S. E. Myers, B. Y. Whitman, D. B. Allen. 2001. 'Sustained benefits of growth hormone on body composition, fat utilization, physical strength and agility, and growth in Prader - Willi syndrome are dose-dependent.' *J Pediatr Endocrinol Metab* 14: 1097-1105
- Carrel, A. L., V. Moerchen, S. E. Myers, M. T. Bekx, B. Y. Whitman, D. B. Allen. 2004. 'Growth hormone improves mobility and body composition in infants and toddlers with Prader-Willi syndrome.' *J Pediatr* 145: 744-9.
- Corrias, A. 2000. 'GH/IGF-I axis in Prader-Willi syndrome: evaluation of IGF-I levels and of the somatotroph responsiveness to various provocative stimuli.' *J Endocrinol Invest* 23: 84-89.
- Costeff, H., V. A. Holm, R. Ruvalcaba, J. Shaver. 1990. 'Growth hormone secretion in Prader-Willi syndrome.' *Acta Paediatr Scand* 79: 1059-1062.
- Davies P. S. 1999. 'Body composition in Prader-Willi syndrome: assessment and effects of growth hormone administration.' *Acta Paediatr Suppl* 88: 105-8.
- Donaldson, M. D. C., C. E. Chu., A. Cooke, A. Wilson, S. A. Greene, J. B. P. Stevenson. 1994. The Prader-Willi Syndrome. *Arch Dis Child* 70: 58-63.
- Dunn, H. G. 1968. 'The Prader-Willi syndrome: review of the literature and report of 9 cases.' *Acta Paediatr Scand suppl* 186: 1-38.
- Eiholzer, U., D. l'Allemand. 2000. 'Growth hormone normalises height, prediction of final height and hand length in children with Prader-Willi syndrome after 4 years of therapy.' *Horm Res* 53: 185-92.
- Eiholzer, U. 2001. Prader-Willi syndrome. Effects of human growth hormone treatment. Karger: Basel.
- Eiholzer, U., K. Stutz, C. Weinmann, T. Torresani, L. Molari, A. Prader. 1998a. 'Low insulin, IGF-I and IGFBP-3 levels in children with Prader – Labhart – Willi syndrome'. *Eur J Pediatr* 157: 890-893.
- Eiholzer, U., R. Gissin, C. Weinmann, S. Kriemler, H. Steinert, T. Torresani, M. Zachmann, A. Prader. 1998b. 'Treatment with human growth hormone in patients with Prader – Labhart – Willi syndrome reduces body fat and increases muscle mass and physical performance.' *Eur J Pediatr* 157: 368-377.
- Eiholzer, U., D. L'allemand, M. Schlumpf, V. Rousson, T. Gasser, C. Fusch. 2004. 'Growth hormone and body composition in children younger than 2 years with Prader-Willi syndrome.' *J Pediatr* 144: 753-8.
- Fesseler, W. H., J. R. Bierich. 1983. 'Untersuchungen beim Prader – Labhart – Willi syndrom.' *Monatsschr Kinderheilkd* 131: 844-847.
- Greenswag, L. R. 1987. 'Adults with Preder-Willi syndrome. A survey of 232 cases.' *Dev Med Child Neurol* 29: 145-152.
- Grosso, S., M. Cioni, S. Buoni, L. Peruzzi, L. Pucci, R. Berardi. 1998. 'Growth hormone secretion in

- Prader-Willi syndrome'. *J Endocrinol Invest* 21: 418-422.
- Grugni, G., G. Guzzaloni, D. Moro, D. Bettio, C. De Medici, F. Morabito. 1998. 'Reduced GH responsiveness to combined GH releasing hormone and pyridostimine and administration in the Prader-Willi syndrome.' *Clin Endocrinol (Oxf)* 48: 769-775.
- Hall, B. D. & D. Smith. 1972. 'Prader-Willi syndrome'. *J Pediatr* 81: 286-293.
- Haqq, A. M., D. D. Stadler, R. H. Jackson, R. G. Rosenfeld, J. Q. Purnell, S. H. LaFranchi. 2003. 'Effects of Growth Hormone on Pulmonary Function, Sleep Quality, Behavior, Cognition, Growth Velocity, Body Composition, and Resting Energy Expenditure in Prader-Willi Syndrome.' *The Journal of Clinical Endocrinology & Metabolism* 88: 2206-2212.
- Hoefnagel, D, P. J. Costello, K. Hatoum. 1967. 'Prader-Willi syndrome.' *J Ment Def Res* 11: 1-11
- Holm, V., Sulzbacher, S. J. P. P. L. (red.). 1981. *The Prader-Willi Syndrome*. Baltimore: University Park Press
- Holm, V. A., S. B. Cassidy, M. G. Butler, J. M. Hanchett, L. R. Grinswag, B. Y. Whitman, F. Greenberg. 1993. 'Prader-Willi syndrome. Consensus diagnostic criteria.' *Pediatrics* 91: 398-402.
- Lee, P. D. 2000. 'Effects of growth hormone treatment in children with Prader-Willi syndrome.' *Growth Horm IGF Res* 10 Suppl B: S75-9.
- Lindgren, A. C., E. M. Ritzen. 1999. 'Five years of growth hormone treatment in children with Prader-Willi syndrome.' *Acta Paediatr Suppl* 88: 109-11.
- Mueller, J. 1997. 'Hypogonadism and Endocrine metabolic disorders in Prader-Willi syndrome.' *Acta Paediatr Suppl* 423: 58-59.
- Myers, S. E., A. L. Carrel, B.Y.Whitman, D. B.Allen. 2000. 'Sustained benefit after 2 years of growth hormone on body composition, fat utilization, physical strength and agility, and growth in Prader-Willi syndrome.' *J Pediatr* 137: 42-9.
- Nagai, T., M. Mori. 1999. 'Prader-Willi syndrome, diabetes mellitus and hypogonadism. *Biomed Pharmacother* 53: 452 - 454.
- Obata, K., S. Sakazume, A. Yoshino, N. Murakami, R. Sakuta. 2003. 'Effects of 5 years growth hormone treatment in patients with Prader-Willi syndrome.' *J Pediatr Endocrinol Metab* 16:155-62.
- Park, M. J., H. S. Kim, J. H. Kang, D. H. Kim, C. Y. Chung. 1999. 'Serum levels of insulin- like growth factor (IGF)-I, free IGF-I, IGF binding protein (IGFBP)-I, IGFBP-3, and insulin in obese children.' *J Pediatr Endocrinol Metab* 12: 139-144.
- Prader, A., A. Labhart, H. Willi. 1956. 'Ein syndrom von Adipositas, Kleinwuhs, Kryptohismus und Oligophrenie nach myotonieartigemzustand im Neugeborenentalter.' *Sweiz Med Wochenschr* 86: 1260-1261.
- Rosenfeld, R. G. et al. 1995. 'Diagnostic controversy: diagnosis of childhood growth hormone deficiency revisited.' *J Clin Endokr Metab* 80: 1532-1540.
- Rubin, K., S. B. Cassidy. 1988. 'Hypogonadism and Osteoporosis' w: L. R.Greenswag, R. C. Alexander (red.) *Management of Prader – Willi syndrome*. New York: Springerverlag. 23-33.
- Sacco, M., G. Di Giorgio. 2005. 'Sudden death in Prader-Willi syndrome during growth hormone therapy'. *Horm Res* 63: 29-32.
- Salomon, F., R. Cuneo, A. Umpleby, P. Songsen. 1994. 'Interactions of body fat and muscle mass with substrat concentrations and fasting insulin levels in adults with growth hormone deficiency.' *Clin Sci (Colh)* 87: 201-29-06
- Shulman D. I. 2002. 'Metabolic effects of growth hormone in the child and adolescent.' *Curr Opin Pediatr* 14: 432-6.
- Tauber, M., C. Barbeau, B. Joured, C. Pienkowski, P. Malzac, A. Moncla, P. Rochiccioli. 2000. 'Auxological endocrine evolution of 28 children with Prader-Willi syndrome: effect of GH therapy in 14 children.' *Horm Res* 53: 279-287.
- Vahl, N., J. O. Jorgensen, T. B. Hansen, I. B. Klausen, A. G. Jurik, C. Hagen et al. 1998. 'The favorable effects of GH substitution on hypercholesterolaemia in GH deficient adults are not associated with concomitant reductions and adiposity. 12 month and placebo-controlled study'. *Int J Obes Relat Metab Disord* 22: 529-536
- Vanderschueren-Lodeweycks, M. 1993. 'The effects of simple obesity, growth and growth hormone.' *Horm Res* 40: 23-30.
- Vignolo, M., A. Naselli, E. di Battista, M. Mostert, G. Aicardi. 1988. 'Growth and development in simple obesity'. *Eur J Pediatr* 147: 242-244.
- Vliet, G. V., C. L. Deal, P. A. Crock, Y. Robitaille, L. L. Oigny. 2004. 'Sudden death in growth hormone-treated children with Prader-Willi syndrome.' *J Pediatr* 144: 129-131.

- Weninger, M., G. Schernthaner, H. Frisch, K. Wildhalm. 1983. 'Endokrine Unterzuchungen bei Prader – Labhart – Willi Syndrom: Pubertaetseintritt bei einem 19 Jahre alten Knaben nach Langzeitverabreichung eines LHRH – Analogons.' *Exp Clin Endokrinol* 82: 8-14.
- Whitman, B. Y., S. Myers, A. Carrel, D. Allen. 2002. 'The Behavioral Impact of Growth Hormone Treatment for Children and Adolescents With Prader-Willi Syndrome: A 2- Year, Controlled Study.' *PEDIATRICS* 109, pp. e35
- Whitman, B., A. Carrel, T. Bekx , C. Weber, D. Allen, S. Myers. 2004. 'Growth hormone improves body composition and motor development in infants with Prader-Willi syndrome after six months.' *J Pediatr Endocrinol Metab* 17: 591-600.
- Widhalm, K., V. Veitl, K. Irsigler. 1981. Evidence for decreased energy expenditure in Prader – Labhardt – Willi Syndrome: Assesment by means of the Vienna calorimeter. *Proc Ind Cong Nutrition*. New York.
- Williams, M. S., B. L. Roneey, J. Williams, K. Josephson, R. Pauli. 1994. 'Investigation of termoregulatory characteristics in patients with Prader-Willi syndrome.' *Am J Med n Genet* 49: 302-327.
- Wollmann, H. A., U. Schultz, M. Grauer, M. Ranke. 1998. 'Reference values for height and weight in Prader-Willi syndrome based on 315 patients.' *Eur J Pediatr* 157: 634-642. Zellweger, H. 1981. 'Diagnosis and therapy in the first phase of PWS.' w: Holm, V., Sulzbacher, S. J. P. P. L. (red.) *The Prader-Willi Syndrome*. Baltimore: University Park Press:  
55-68.